

Power meets purpose

The new Kia K2 series



Movement that inspires

We are
Motus



**Organised with a multifunctional
centre console**

* Images may show features not available in South Africa and are included for illustrative purposes.
Specification varies by model. Please consult your Kia dealership to confirm all specification.



Multifunctional centre console

For the organisation of small miscellaneous items. The front centre seatback folds down to reveal a multifunctional console for practical storage, in addition to a storage space within the centre console.



2025 K27 series shown in various trims with optional features. Not all colors, color combinations, and optional features can be equipped on all trims. Some colors and option selections may include, exclude, or require the purchase of additional options and packages. Limited inventory available.

Engineered for efficiency

Power without shortages. People rely on you. The K2-series feels the same way. Making sure it never lets you down was the first thought in the minds of the Kia engineers. The K2700 has the perfect workhorse engine - a 2.7 litre, 4-cylinder, J2 diesel power plant that delivers 62kW of power at 4150 rpm and 165 Nm of torque at 2400 rpm. The K2500's 4-cylinder DOHC 16-valve turbo engine is even more powerful and delivers 96 kW of power at 3800 rpm and 255 Nm of torque between 1500-3500 rpm.



Glove box.

Offers convenient storage solutions for small items while providing up to 11 litres of total space.



Cargo space.

The K2700 has a 2 810 mm long deck and 1 630 mm wide bed, giving you abundant loading capacity. The railed truck bed has a low height of only 733 mm for easier access when loading and unloading.

The K2500 has a 2 810 mm long deck and 1 630 mm wide bed, giving you abundant loading capacity. The railed truck bed has a low height of only 733 mm for easier access when loading and unloading.

* Images may show features not available in South Africa and are included for illustrative purposes. Specification varies by model. Please consult your Kia dealership to confirm all specification.



Work in comfort.



Covered rear gate chain

Hard work isn't a one-day affair. That's why we have a wraparound cover to protect the chain from corrosion and maintain lifelong use.



Folding-type stopper

Safely props up longer items that extend beyond the bed



Everyday essentials

Front open panel. Allows you to easily check fluid levels and refill when necessary.

* Images may show features not available in South Africa and are included for illustrative purposes. Specification varies by model. Please consult your Kia dealership to confirm all specification.



KIA

K2500

K2500 GP

Meet the family

Compare K2 series across the range.

K2700
WORKHORSE CHASSIS CAB



K2700
WORKHORSE



K2700
WORKHORSE WITH AIRCON



K2700
WORKHORSE TIPPER



K2500
WORKHORSE DROPSIDE




K2500
WORKHORSE DROPSIDE



K2500
TIPPER



Exterior Body Colour



Clear White (UD)

Wheels



5.5 J x 15"
(K2500)



5.0 J x 14"
(K2700)



Bumper to bumper, it's the most reliable car on the road

Standard Specifications: Kia K2 Series

ENGINE	K2500	K2700
Type	In-line 4 cyl, DOHC valve turbo charged diesel	In-line 4 cyl, 8 valve naturally aspirated diesel
Displacement (cc)	2 497	2 665
Fuel supply system	Commonrail Diesel	Bosch type injection pump
Max power (kW/rpm)	96 / 3 800	62 / 4 000
Max torque (Nm/rpm)	255 / 1 500 - 3 500	165 / 2 400
Compression ratio	16.4 : 1	21.5 : 1
Bore x stroke (mm)	91 x 96 mm	94.5 x 95 mm
Max speed M/T (A/T)	142 km/h	120 km/h
Fuel type	Diesel (10ppm / 50ppm or 500ppm)	Diesel (10ppm / 50ppm or 500ppm)
TRANSMISSION		
Transmission - Manual [Auto]	6-Speed Manual	
DIMENSIONS & CAPACITIES		
Overall length x width x height (mm)	4 825 x 1 740 x 1 995 mm	4 825 x 1 740 x 1 975 mm
Overhang (front/rear) (mm)	1 205 / 1 205 mm	1 205 / 1 205 mm
Wheel Base	2 415 mm	
Tow mass - trailer with / without brakes	1 400 / 700 kg	1 180 / 700 kg
Loading capacity:	1 000 kg	1 300 kg
Minimum ground clearance (mm)	200 mm	203 mm Single Wheel / 145 mm Double Wheel
Curb weight (max kg)	1 670 - 1 715	1 555
Gross Vehicle Mass (GVM) (kg)	2 980 kg	2 850 kg
Fuel tank capacity (l)	65 litre	60 litre
Cargo deck length x width x height	2 810 x 1 630 x 355mm	
STEERING		
Type	(HPS) Hydraulic power steering, Rack & Pinion	
Minimum turning radius	5.03 m	4.9 m
BRAKES		
Front brakes	Disc (278 mm)	Disc (261 mm)
Rear brakes	Drum (260 mm)	Drum (220 mm)
SUSPENSION		
Front	Torsion Bar Spring	
Rear	Multi Leaf Spring	
WHEELS & TYRES		
Wheels	5.5 J x 15"	5.0 J x 14"
Tyres	195/R15 - 8PR	195/R14 - 6PR
Temporary spare wheel:	Yes	x1 single rear / x2 double rear wheel

FEATURES	K2500	K2700
Adjustable headrests	X	X
Ashtray	X	X
Battery saver	X	X
Centre seat back console with cup holders	X	X
Cigarette lighter	X	X
Cloth upholstery	X	X
Covered rear gate chain	X	X
Digital clock, odo/tripmeter	X	X
Electric windows	X	X
ELR 3-point front seatbelts	X	X
Folding-type stopper (to secure long objects)	X	X
Foot rest	X	X
Glove box	X	X
Heater	X	X
Independant sliding & reclining driver's seat	X	X
Integrated headlights with height adjustment	X	X
Remote central locking	X	-
Lockable fuel inlet	X	X
Maintenance free battery	X	X
Mudguards	X	X
Passenger seat bench (seats 2 people)	X	X
Power steering	X	X
Rear guard step	X	X
Round-edged brim cover	X	X
Snorkel type air intake duct	X	X
Tachometer	X	X
Tilt adjustable steering	X	X
Tool set and jack	X	X
Wipers and integrated washer	X	X
Body coloured bumpers	X	X
Data Dot	X	X
Lockable fuel inlet	-	X
Service Plan (3 year / 60 000 km)		
WARRANTY & SERVICE & ROADSIDE ASSISTANCE		
5-year/ UNLIMITED Warranty * 5-year/unlimited km Roadside Assistance		

Scan the QR Code for accessory options.

